



Professional Integrity, Customer First



Profession · Efficiency · Quality · Service

Contribute Our Strength to Made in China

Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD

Phone: +8618733911223

Email: admin@jhsealstrip.com

Website: www.jhsealstrip.com

Address: Haiyuan International Financial Center 1317, Longgang District, Shenzhen, China

Zip Code: 518100



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD located in Shenzhen City, is one of the production bases of automotive rubber and plastic products in China. The company mainly produces and sells mudflaps, silicone hose, EPDM hose, NBR hose, EPDM sealing strip, PVC sealing strip, silicone sealing strip, blind brick, PVC profiles with nearly 20 years of experience in seal production and development. The factory area of the company is 55,000 square meters, is a well-known Hebei Province production, development and sales in one of the all-round enterprises.

The company has two domestic advanced four composite production lines, four composite production lines, three single extrusion production lines, two rubber hose production lines, and 30 flat vulcanization machines, the annual production of 6 million meters of sealing strips and rubber hose 500,000 meters.







The products are divided into four categories, more than 300 varieties, and have the ability to support the whole vehicle with cars, heavy vehicles, light vehicles, minicars, and new energy electric vehicles. And exported to Germany, the United States, the United Kingdom, Russia, Poland and other more than 20 countries.

The company tenet of "Integrity, Profession, Customer First", has been using international standards to strictly demand themselves, to provide customers with professional and high-quality services, continuous progress and innovation in the industry, committed to creating a benchmark enterprise in the industry to become an influential international brand.


目录 CONTENT

RUBBER HOSE·····	01
SILICONE HOSE·····	04
MUDFLAPS·····	14
COMPOSITE SEALING STRIP·····	16
EPDM SINGLE EXTRUSION·····	21
PVC EDGE TRIM·····	25
GARAGE DOOR THRESHOLD SEAL·····	28
PVC PROFILE·····	30
SILICONE SEALING STRIP·····	33
PVC SEALING STRIP·····	37
PU CURTAIN WALL SEALING STRIP·····	38

RUBBER HOSE







SILICONE HOSE



Product Features	Material Characteristics
Heavy Wall Design	Anti-Aging
Extreme Pressure Tolerance	Corrosion Resistance
Ultra Flexible	High-temperature Resistance
Excellent Tensile Strength	Anti-Shock
	No Smell
	No Toxicity
	Electrochemical Degradation Resistance
	UV and Ozone Resistance

SILICONE HOSE





Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD

E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD

E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223

SILICONE HOSE SERIES

PHOTO	ITEM NO.	ID (mm)	ID (inch)	THICK (mm)	PLY
	JH-SM6	6	1/4	4.5	3-4
	JH-SM8	8	5/16	4.5	3-4
	JH-SM10	10	3/8	4.5	3-4
	JH-SM12	12	1/2	4.5	3-4
	JH-SM14	14	9/16	4.5	3-4
	JH-SM16	16	5/8	4.5	3-4
	JH-SM18	18	11/16	4.5	3-4
	JH-SM20	20	13/16	4.5	3-4
	JH-SM22	22	7/8	4.5	3-4
	JH-SM25	25	1	4.5	3-4
	JH-SM28	28	1 1/8	4.5	3-4
	JH-SM32	32	1 1/4	4.5	3-4
	JH-SM38	38	1 1/2	4.5	3-4
	JH-SM45	45	1 3/4	4.5	3-4
	JH-SM51	51	2	5.0	3-4
	JH-SM57	57	2 1/4	5.0	3-4
	JH-SM63	63	2 1/2	5.0	3-4
	JH-SM70	70	2 3/4	5.0	3-4
	JH-SM76	76	3	5.5	3-4
	JH-SM80	80	3 1/8	5.5	3-4
JH-SM83	83	3 1/4	5.5	3-4	
JH-SM89	89	3 1/2	5.5	3-4	
JH-SM102	102	4	5.5	3-4	

SILICONE HOSE SERIES

PHOTO	ITEM NO.	ID (mm)	ID (inch)	THICK (mm)	PLY
	JH-SC6	6	1/4	4.5	3-4
	JH-SC8	8	5/16	4.5	3-4
	JH-SC10	10	3/8	4.5	3-4
	JH-SC12	12	1/2	4.5	3-4
	JH-SC14	14	9/16	4.5	3-4
	JH-SC16	16	5/8	4.5	3-4
	JH-SC18	18	11/16	4.5	3-4
	JH-SC20	20	13/16	4.5	3-4
	JH-SC22	22	7/8	4.5	3-4
	JH-SC25	25	1	4.5	3-4
	JH-SC28	28	1 1/8	4.5	3-4
	JH-SC32	32	1 1/4	4.5	3-4
	JH-SC38	38	1 1/2	4.5	3-4
	JH-SC45	45	1 3/4	4.5	3-4
	JH-SC51	51	2	5.0	3-4
	JH-SC57	57	2 1/4	5.0	3-4
	JH-SC63	63	2 1/2	5.0	3-4
	JH-SC70	70	2 3/4	5.0	3-4
	JH-SC76	76	3	5.5	3-4
	JH-SC80	80	3 1/8	5.5	3-4
JH-SC83	83	3 1/4	5.5	3-4	
JH-SC89	89	3 1/2	5.5	3-4	
JH-SC102	102	4	5.5	3-4	



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD


E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223

SILICONE HOSE

PHOTO	ITEM NO.	ID (mm)	ID (inch)	THICK (mm)	PLY
	JH-S3581	38-51	1.5-2	4.5	3-4
	JH-S4551	45-51	1.75-2	4.5	3-4
	JH-S4557	45-57	1.75-2.25	4.5	3-4
	JH-S4563	45-63	1.75-2.5	4.5	3-4
	JH-S5157	51-57	2-2.25	4.5	3-4
	JH-S5163	51-63	2-2.5	4.5	3-4
	JH-S5170	51-70	2-2.75	4.5	3-4
	JH-S5176	51-76	2-3	4.5	3-4
	JH-S5763	57-63	2.25-2.5	4.5	3-4
	JH-S5770	57-70	2.25-2.75	4.5	3-4
	JH-S5776	57-76	2.25-3	4.5	3-4
	JH-S6370	63-70	2.5-2.75	4.5	3-4
	JH-S6376	63-76	2.5-3	4.5	3-4
	JH-S6383	63-83	2.5-3.25	4.5	3-4
	JH-S6390	63-90	2.5-3.5	5.0	3-4
	JH-S7076	70-76	2.75-3	5.0	3-4
	JH-S7083	70-83	2.75-3.25	5.0	3-4
	JH-S7090	70-90	2.75-3.5	5.0	3-4
	JH-S7683	76-83	3-3.25	5.5	3-4
	JH-S7390	73-90	3-3.5	5.5	3-4
JH-S7695	76-95	3-3.75	5.5	3-4	
JH-S8390	83-90	3.25-3.5	5.5	3-4	
JH-S8395	83-95	3.25-3.75	5.5	3-4	
JH-S90102	90-102	3.5-4	5.5	3-4	



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD


E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223

SILICONE HOSE

PHOTO	ITEM NO.	ID (mm)	ID (inch)	THICK (mm)	PLY
	JH-DE13	13	1/2	4.5	3-4
	JH-DE16	16	5/8	4.5	3-4
	JH-DE19	19	3/4	4.5	3-4
	JH-DE22	22	7/8	4.5	3-4
	JH-DE25	25	1	4.5	3-4
	JH-DE28	28	1 7/8	4.5	3-4
	JH-DE30	30	1 3/16	4.5	3-4
	JH-DE32	32	1 4/1	4.5	3-4
	JH-DE35	35	1 3/8	4.5	3-4
	JH-DE38	38	1 1/2	4.5	3-4
	JH-DE41	41	1 5/8	4.5	3-4
	JH-DE45	45	1 3/4	4.5	3-4
	JH-DE48	48	1 7/8	4.5	3-4
	JH-DE51	51	2	4.5	3-4
	JH-DE54	54	2	5.0	3-4
	JH-DE57	57	2 1/4	5.0	3-4
	JH-DE60	60	2 3/8	5.0	3-4
	JH-DE63	63	2 1/2	5.0	3-4
	JH-DE70	70	2 3/4	5.5	3-4
	JH-DE76	76	3	5.5	3-4
JH-DE80	80	3 1/8	5.5	3-4	
JH-DE83	83	3 1/4	5.5	3-4	
JH-DE89	89	3 1/2	5.5	3-4	
JH-DE102	102	4	5.5	3-4	



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD

E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223



Jinhui Rubber & Plastics Technology (Shenzhen) Co., LTD

E-mail: CEO@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618733911223

After-sales service hotline: +8618733911223

SILICONE HOSE





PHOTO	ITEM NO.	ID(mm)	ID(inch)	THICK (mm)	RINGS
	JH-SCO25	25	1	4.5	1-10
	JH-SCO38	38	1 1/2	4.5	1-10
	JH-SCO51	51	2	4.5	1-10
	JH-SCO63	63	2 1/2	5.0	1-10
	JH-SCO76	76	3	5.0	1-10
	JH-SCO89	89	3 1/2	5.0	1-10
	JH-SCO102	102	4	5.0	1-10

PHOTO	ITEM NO.	ID(mm)	ID(inch)	THICK (mm)	PLY
	JH-V3	3	1/8	3.0	0
	JH-V5	5	1/5	3.0	0
	JH-V6	6	1/4	3.0	0
	JH-V8	8	5/16	3.0	0
	JH-V10	10	3/8	3.0	0
	JH-V12	12	1/2	3.0	0
	JH-H6	6	1/4	3-4.5	1-2
	JH-H8	8	5/16	3-4.5	1-2
	JH-H10	10	3/8	3-4.5	1-2
	JH-H14	14	9/16	3-4.5	1-2
	JH-H16	16	5/8	3-4.5	1-2
	JH-H25	25	1	3-4.5	1-2

SILICONE HOSE

PHOTO	ITEM NO.	ID(mm)	ID(inch)	THICK (mm)	PLY
	JH-ER001	32-25	1 1/4-1	4.5	3-4
	JH-ER002	38-32	1 1/2-1 1/4	4.5	3-4
	JH-ER003	45-38	1 3/4-1 1/2	4.5	3-4
	JH-ER004	48-25	1 7/8-1	4.5	3-4
	JH-ER005	48-30	1 7/8-1 1/4	4.5	3-4
	JH-ER006	51-38	2-1 1/2	4.5	3-4
	JH-ER007	51-45	2-1 3/4	4.5	3-4
	JH-ER008	57-51	2 1/4-2	4.5	3-4
	JH-ER009	60-48	2 3/8-1 7/8	4.5	3-4
	JH-ER010	60-51	2 3/8-2	4.5	3-4
	JH-ER011	63-51	2 1/2-2	4.5	3-4
	JH-ER012	63-57	2 1/2-2 1/4	4.5	3-4
	JH-ER013	70-51	2 3/4-2	4.5	3-4
	JH-ER014	70-63	2 3/4-2 1/2	4.5	3-4
	JH-ER015	76-51	3-2	5.0	3-4
	JH-ER016	76-63	3-2 1/2	5.0	3-4
	JH-ER017	76-70	3-2 3/4	5.0	3-4
	JH-ER018	80-63	3 1/8-2 1/8	5.0	3-4
	JH-ER019	80-76	3 1/8-3	5.5	3-4
	JH-ER020	83-70	3 1/4-2 3/4	5.5	3-4
	JH-ER021	83-76	3 1/4-3	5.5	3-4
	JH-ER022	89-76	3 1/2-3	5.5	3-4
	JH-ER023	102-76	4-3	5.5	3-4
	JH-ER024	102-89	4-3 1/2	5.5	3-4



SILICONE HOSE



PHOTO	ITEM NO.	ID(mm)	ID(inch)	THICK (mm)	LENGTH(m)
	JH-FH3	3	1/8	3.5	20
	JH-FH6	6	1/4	3.5	20
	JH-FH8	8	5/16	3.5	20
	JH-FH10	10	3/8	3.0	20
	JH-FH12	12	1/2	4.0	20
	JH-FH16	16	5/8	4.0	20

PHOTO	ITEM NO.	ID(mm)	ID(inch)	THICK (mm)	LENGTH (m)
	JH-W6	6	1/4	3-4.5	20
	JH-W8	8	5/16	3-4.5	20
	JH-W10	10	3/8	3-4.5	20
	JH-W12	12	1/2	3-4.5	20
	JH-W14	14	9/16	3.5-4.5	20
	JH-W16	16	5/8	3.5-4.5	20
	JH-W25	25	1	3.5-4.5	20





MUDFLAPS



Silicone+PVC

Product Features	Material Characteristics
Concave-convex surface	Native
Non-fading color	Non-toxic
High temperature resistance	Harmless
From soft to hard	Corrosion Resistance
	High Temperature Resistance
	Wear Resistance
	Anti-Aging
	Insulation

MUDFLAPS



COMPOSITE SEALING STRIP



Product Features	Material Characteristics
Soundproof	Native
Dustproof	Non-toxic
Waterproof	Harmless
Windproof	Corrosion Resistance
Energy Conservation	High Temperature Resistance
Collision Avoidance	Wear Resistance
Easy Installation	Anti-Aging

THREE COMPOSITE SEALING STRIP



JH-ES-001



JH-ES-002



JH-ES-003



JH-ES-013



JH-ES-014



JH-ES-015



JH-ES-004



JH-ES-005



JH-ES-006



JH-ES-016



JH-ES-017



JH-ES-018



JH-ES-007



JH-ES-008



JH-ES-009

TWO COMPOSITE SEALING STRIP



JH-ES-010



JH-ES-011



JH-ES-012



JH-SS-001



JH-SS-002



JH-SS-003

TWO COMPOSITE SEALING STRIP



JH-SS-004



JH-SS-005



JH-SS-006



JH-SS-007



JH-SS-008



JH-SS-009



JH-SS-010



JH-SS-011



JH-SS-012

SINGLE EXTRUSION SEALING STRIP




JH-F-001



JH-F-002




JH-F-003



JH-F-004



JH-F-005



JH-F-006




JH-F-007



JH-F-008

EPDM SINGLE EXTRUSION



Product Features	Material Characteristics
Soundproof	No Smeil
Dustproof	Harmless
Waterproof	Paste Firmly
Windproof	Good Resistance to Heat & Cold
Energy Conservation	Not Easy to Fall off
Collision Avoidance	
Easy Installation	


EPDM SINGLE EXTRUSION




EPDM SINGLE EXTRUSION



JH-E-001




JH-E-002



JH-E-003




JH-E-013



JH-E-014




JH-E-015




JH-E-004



JH-E-005




JH-E-006




JH-E-016



JH-E-017




JH-E-018



JH-E-007




JH-E-008




JH-E-009




JH-E-019




JH-E-020



JH-E-010



JH-E-011



JH-E-012

EPDM SINGLE EXTRUSION

PVC EDGE TRIM



PVC U-SHAPED SEALING STRIP



Product Features	Material Characteristics
Soundproof	Native
Dustproof	Non-toxic
Waterproof	Harmless
Windproof	Corrosion Resistance
Energy Conservation	High Temperature Resistance
Collision Avoidance	Wear Resistance
Easy Installation	Anti-Aging

PVC U-SHAPED SEALING STRIP



JH-P-013




JH-P-014




JH-P-015

GARAGE DOOR THRESHOLD SEAL




Product Features	Material Characteristics
Easy to Uncoil&Cut	Native
Beautiful	Non-toxic
Protect Wires	Harmless
Clean and Safe	Corrosion Resistance
Easy Installation	High Temperature Resistance
	Wear Resistance
	Anti-Aging
	Insulation

GARAGE DOOR THRESHOLD SEAL




PVC PROFILE



Product Features	Material Characteristics
Light and Flexible	Native
Excellent Thermal Insulation	Non-Toxic
Good Buffer Performance	Harmless
Sound and Dust Proof	Corrosion Resistance
Ultraviolet Resistance	High Temperature Resistance
	Wear Resistance
	Anti-Aging
	Insulation

PVC PROFILE




JH-P-028



JH-P-029



JH-P-030




JH-P-036




JH-P-037



JH-P-038




JH-P-031




JH-P-032



JH-P-033



JH-P-039







JH-P-034



JH-P-035

PVC ANTI-SKID STRIP

SILICONE SEAL



SILICONE SEAL


SILICONE SEALING STRIP



PVC SEALING STRIP




JH-PD-001




JH-PD-002




JH-PD-003




JH-PD-004




JH-PD-005



JH-PD-006




JH-PD-007




JH-PD-008

PU CURTAIN WALL SEALING STRIP




JH-PU-001




JH-PU-002




JH-PU-003




JH-PU-004




JH-PU-005



JH-PU-006





JH-PU-007





JH-PU-008


DOOR AND WINDOW SEALING STRIP




JH-PD-001





JH-PD-002




JH-PD-003



JH-PD-004



JH-PD-005



JH-PD-006